



Scan to authenticate this Report online

### **Animal's Details**

Registered Name :	Lynneville's Dirty Martini	
Pet Name :	Pimento	
Registration Number:	SS40758404	
Breed :	Labrador Retriever	
Microchip Number:		
Sex:	Female	
Date of Birth :	20th Apr 2023	
Colour:	Chocolate	

Sample with Lab ID Number 24A 163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: DEGENERATIVE MYELOPATHY

Result: NEGATIVE / CLEAR [NO VARIANT DETECTED] 
Gene: Superoxide dismutase 1 (SOD1) on chromosome 31

Variant Detected: Base Substitutionc.118G>Ap.Glu40Lys

We have scanned the DNA and the genotype of this animal is NORMAL - no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

#### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number





Scan to authenticate this Report online

### **Animal's Details**

Registered Name :	Lynneville's Dirty Martini	
Pet Name :	Pimento	
Registration Number:	SS40758404	
Breed :	Labrador Retriever	10 7
Microchip Number:		
Sex:	Female	
Date of Birth :	20th Apr 2023	
Colour:	Chocolate	

Sample with Lab ID Number 24A163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: ELLIPTOCYTOSIS B-SPECTRIN (LABRADOR RETRIEVER/POODLE TYPE)

Result: NEGATIVE / CLEAR [NO VARIANT DETECTED] 1

Gene: Spectrin beta erythrocytic (SPTB) Chromosome 8

Variant Detected: Base Substitutionc.6384C>TThr2110Met

We have scanned the DNA and the genotype of this animal is NORMAL – no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

#### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number





Scan to authenticate this Report online

### **Animal's Details**

Registered Name :	Lynneville's Dirty Martini	
Pet Name :	Pimento	
Registration Number:	SS40758404	
Breed :	Labrador Retriever	
Microchip Number:		
Sex:	Female	
Date of Birth :	20th Apr 2023	
Colour:	Chocolate	

Sample with Lab ID Number 24A 163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported : EXERCISE INDUCED COLLAPSE (RETRIEVER TYPE)

Result: NEGATIVE / CLEAR [NO VARIANT DETECTED] 1

Gene: DNM1

Variant Detected: Base Substitution c.767 G>T

We have scanned the DNA and the genotype of this animal is NORMAL – no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

#### **Clarification of Genetic Testing**

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number





Scan to authenticate this Report online

## Animal's Details

Registered Name :	Lynneville's Dirty Martini
Pet Name :	Pimento
Registration Number:	SS40758404
Breed :	Labrador Retriever
Microchip Number:	
Sex:	Female
Date of Birth :	20th Apr 2023
Colour:	Chocolate

Sample with Lab ID Number 24A 163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: HEREDITARY NASAL PARAKERATOSIS/DRY NOSE (LABRADOR RETRIEVER TYPE)

Result: CARRIER [ONE COPY OF THE VARIANT DETECTED] 1

Gene: Suppressor of variegation 3-9 homolog 2 (SUV39H2) on chromosome 2

Variant Detected: Base Substitutionc.972T>Gp.Asn324Lys

We have scanned your animal's DNA and one copy of the normal gene and copy of the positive (mutant) gene has been detected. The genotype of the animal tested is CARRIER this result may also be referred to as HETEROZYGOUS or A/N or "+/-". Being an autosomal recessive disease the animal will not exhibit disease symptoms or develop the disease. Consideration needs to be taken if breeding this animal as it may produce affected offspring if mated to another carrier. It is recommended to have any breeding partner tested before breeding.

#### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number

Approved Collection Method: No





Scan to authenticate this Report online

### **Animal's Details**

Registered Name:	Lynneville's Dirty Martini	
Pet Name :	Pimento	
Registration Number:	SS40758404	
Breed :	Labrador Retriever	
Microchip Number:		
Sex:	Female	
Date of Birth :	20th Apr 2023	
Colour:	Chocolate	

Sample with Lab ID Number 24A 163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: HYPERURICOSURIA

Result: NEGATIVE / CLEAR [NO VARIANT DETECTED] 1

Gene: Solute carrier family 2 member 9 (SLC2A9) on chromosome 3

Variant Detected: Base Substitutionc.563G>Tp.Cys188Phe

We have scanned the DNA and the genotype of this animal is NORMAL - no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number





Scan to authenticate this Report online

### Animal's Details

Lynneville's Dirty Martini
Pimento
SS40758404
Labrador Retriever
Female
20th Apr 2023
Chocolate

Sample with Lab ID Number 24A163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: MACULAR CORNEAL DYSTROPHY (LABRADOR TYPE)

Result: NEGATIVE / CLEAR [NO VARIANT DETECTED] 1

Gene: LOC4

Variant Detected : c.814C>A

We have scanned the DNA and the genotype of this animal is NORMAL - no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

White Literature with a

### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number





Scan to authenticate this Report online

## **Animal's Details**

Registered Name :	Lynneville's Dirty Martini		Charles Till		1	200 200
Pet Name :	Pimento			i i		
Registration Number:	SS40758404	19 20	,	88	12 - V	124
Breed:	Labrador Retriever					
Microchip Number:	;					
Sex:	Female					
Date of Birth :	20th Apr 2023			•		
Colour:	Chocolate					

Sample with Lab ID Number 24A 163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported : MALIGNANT HYPERTHERMIA

Result : NEGATIVE / CLEAR [NO VARIANT DETECTED]

Gene: Ryanodine receptor 1 (RYR1) on Chromosome 1

Variant Detected: Base Substitutionc. 1640T>Cp. Val547Ala

We have scanned the DNA and the genotype of this animal is NORMAL - no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number





Scan to authenticate this Report online

### **Animal's Details**

Registered Name :	Lynneville's Dirty Martini
Pet Name :	Pimento
Registration Number:	SS40758404
Breed :	Labrador Retriever
Microchip Number:	
Sex:	Female
Date of Birth :	20th Apr 2023
Colour:	Chocolate

Sample with Lab ID Number 24A163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: MYOTUBULAR MYOPATHY X-LINKED (LABRADOR RETRIEVER TYPE)

Result: NEGATIVE / CLEAR [NO VARIANT DETECTED] 1

Gene: Myotubularin 1 (MTM1) on Chromosome X

Variant Detected: Base Substitutionc.465C>Ap.Asn155Lys

We have scanned the DNA and the genotype of this animal is NORMAL - no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

#### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll Pet Name: Pimento

Microchip Number Approved Collection Method: No





Scan to authenticate this Report online

## Animal's Details

Registered Name :	Lynneville's Dirty Martini
Pet Name :	Pimento
Registration Number:	SS40758404
Breed :	Labrador Retriever
Microchip Number:	
Sex:	Female
Date of Birth :	20th Apr 2023
Colour:	Chocolate

Sample with Lab ID Number 24A163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: NARCOLEPSY (LABRADOR)

Result : NEGATIVE / CLEAR [NO VARIANT DETECTED] 1

Gene: Hypocretin receptor 2 (HCRTR2) on Chromosome 12

Variant Detected: Base Substitutionc. 1105+5G>Asplice site mutation

We have scanned the DNA and the genotype of this animal is NORMAL - no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number





Scan to authenticate this Report online

### **Animal's Details**

Registered Name :	Lynneville's Dirty Martini	
Pet Name :	Pimento	
Registration Number:	SS40758404	900
Breed :	Labrador Retriever	
Microchip Number:		
Sex:	Female	
Date of Birth:	20th Apr 2023	
Colour:	Chocolate	****

Sample with Lab ID Number 24A 163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: SKELETAL DYSPLASIA 2 (MILD DISPROPORTIONATE DWARFISM)

Result: NEGATIVE / CLEAR [NO VARIANT DETECTED] 1

Gene: Collagen alpha-2(XI) chain gene (COL11A2) on chromosome 12

Variant Detected: Base Substitutionc. 143G>Cp. Arg48Pro

We have scanned the DNA and the genotype of this animal is NORMAL - no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll

Pet Name: Pimento

Microchip Number





Scan to authenticate this Report online

### **Animal's Details**

Registered Name :	Lynneville's Dirty Martini
Pet Name :	Pimento
Registration Number:	SS40758404
Breed :	Labrador Retriever
Microchip Number:	
Sex:	Female
Date of Birth :	20th Apr 2023
Colour:	Chocolate

Sample with Lab ID Number 24A 163048 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported

Test Reported: STARGARDT DISEASE (RETINAL DEGENERATION)

Result: NEGATIVE / CLEAR [NO VARIANT DETECTED] 1

Gene: ABCA4

Variant Detected: c.4176insC

We have scanned the DNA and the genotype of this animal is NORMAL - no presence of the disease associated variant (mutation) has been detected. This result may also be referred to as NORMAL, "-/-" or "wild type (WT)" or "homozygous negative". The animal is clear of the disease and will not pass on the disease-causing variant.

#### Clarification of Genetic Testing

Genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

- 1) Some diseases may demonstrate signs of what Geneticists call "genetic heterogeneity". This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene
- 2) It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions although phenotypically similar may be caused by separate mutations and/or genes.
- 3) It is possible that the disease affecting your breed may be what Geneticists call an "oligogenic disease". This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Owner's Name: Jennifer Carroll Pet Name: Pimento

Microchip Number Approved Collection Method: No